

ComponentSpace

SAML for ASP.NET Core

OneLogin

Integration Guide

Contents

Introduction.....	1
Adding a SAML Application	1
Adding User Access	5
Service Provider Configuration	8
SP-Initiated SSO	9
IdP-Initiated SSO	11
SAML Logout.....	13

Introduction

This document describes integration with OneLogin as the identity provider.

For information on configuring OneLogin for SAML SSO, refer to the following article.


<https://support.onelogin.com/hc/en-us/articles/115003638343-Configuring-SSO-for-SAML-enabled-Apps>

Adding a SAML Application

Login into OneLogin as an administrator.


Click Apps and then Add Apps.

Search for SAML and select the SAML Test Connector (IdP).



Set the display name to ExampleServiceProvider and click the Save button.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide



Click the Configuration link.

Relay state is not required.

Set the audience to the name of the service provider.

For example:

[https:// ExampleServiceProvider](https://ExampleServiceProvider)

Set the Recipient, ACS URL and validator to the assertion consumer service endpoint URL.

For example:

<https://localhost:44360/SAML/AssertionConsumerService>

Set the logout.

For example:

<https://localhost:44360/SAML/SingleLogoutService>

Click the Save button.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide

The screenshot shows the OneLogin web interface for configuring a SAML Test Connector (IdP). The browser address bar shows the URL: `componentspacetest-dev.onelogin.com/apps/715551/edit?view=1/#configuration`. The page title is "SAML Test Connector (IdP)". The navigation menu includes "USERS", "APPS", "DEVICES", "ACTIVITY", and "SETTINGS". The "Configuration" tab is selected, with other tabs being "Info", "Parameters", "Rules", "SSO", "Access", "Users", and "Privileges".

Under "Application Details", the following fields are visible:

- RelayState:
- Audience:
- Recipient:
- ACS (Consumer) URL Validator*:
*Required. Regular expression - Validates the ACS URL when initiated by an AuthnRequest.
- ACS (Consumer) URL*:
*Required
- Single Logout URL:


Buttons for "MORE ACTIONS" and "SAVE" are located at the top right. An "IDEAS" button is at the bottom right.

Click the SSO link.


Select SHA-256 as the signature algorithm.

Click the Save button.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide



Click the More Actions and then SAML Metadata to download the identity provider metadata. This information will be used to configure the service provider.




Adding User Access

Select Users and then Roles.


Edit the default role and add ExampleServiceProvider as an application.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide




Add users to the role and save the changes.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide



Return to the application configuration and select the access tab.

Ensure the default role is enabled.



Select the users tab and confirm the appropriate users are listed.

Service Provider Configuration

The following partner identity provider configuration is included in the example service provider's SAML configuration.


```
{
  "Name": "https://app.onelogin.com/saml/metadata/715551",
  "Description": "OneLogin",
  "SingleSignOnServiceUrl": "https://componentspacetest-dev.onelogin.com/trust/saml2/http-post/sso/715551",
  "SingleLogoutServiceUrl": "https://componentspacetest-dev.onelogin.com/trust/saml2/http-redirect/slo/715551",
  "PartnerCertificates": [
    {
      "FileName": "certificates/onelogin.cer"
    }
  ]
}
```

Ensure the PartnerName specifies the correct partner identity provider.

```
"PartnerName": "https://app.onelogin.com/saml/metadata/715551"
```


SP-Initiated SSO

Browse to the example service provider and click the button to SSO to the identity provider.




Log into OneLogin.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide



The user is automatically logged in at the service provider.




IdP-Initiated SSO


Log into OneLogin.

Click the ExampleServiceProvider button.

ComponentSpace SAML for ASP.NET Core OneLogin Integration Guide



The user is automatically logged in at the service provider.



SAML Logout

OneLogin supports both IdP-initiated and SP-initiated SAML logout.